

IMPREGLINER

25 YEARS. ANY SIZE,
ANY SHAPE, ANY PIPE.



IMPREG

25 YEARS
1999 - 2024



BEING THE BEST IN WHATEVER WE DO.

We are celebrating 25 years of IMPREG. Numerous milestones mark the path we have taken since IMPREG GmbH's founding in 1999.

In our 25 years of history, we have started very small with the production of steam liners. The switch to UV-curing pipe liners was made at the right time. Today, we are where we are and have established ourselves as the market leader. And rightly so.

We have always been pioneers in the field of large profiles. We make the impossible possible. This was demonstrated by the project in 2021: the world's first successfully installed GRP liner DN 2000 in Italy was an IMPREGLiner. We dared and succeeded.

Both with our IMPREGLiner and with our understanding, we act in a resource-saving and environmentally conscious manner. We attach great importance to the service we provide to our customers and partners. As a solution partner, we are always at their sides.

With more than 350 employees on four continents, we are aware of our role and responsibility. More than 180 employees work at the two production sites in Germany alone. We live diversity on a daily basis. Training and education are an additional fundamental building block on which we put our focus.

We do not rest on our laurels. Continuous development in all areas is at the heart of what we do. We lead the way. Consistently but fairly. Today, tomorrow and the day after tomorrow.

We are delighted to be able to share our journey into our past, present and future here. We hope you enjoy it.

A handwritten signature in black ink, appearing to read 'Guido Wey'.

Guido Wey
Managing Director IMPREG GmbH

A handwritten signature in black ink, appearing to read 'K. Müller'.

Karsten Müller
CEO IMPREG Group

FACTS AND FIGURES AT GLANCE

- > 350 employees worldwide
- > 4 production sites on 3 continents
- > 25 years of tradition made in Germany
- > More than 150,000 liners sold until today
- > 20,000 m² production area
- > 2,000 km annual production capacity
- > No.1 leadership in large profiles
- > Construction sites have already been successfully completed in 35 countries





Robert Papp (Founder IMPREG GmbH)



Richmond, USA

Foundation of IMPREG GmbH in Wetzlar, Germany

Start of production of the IMPREGLiner for steam curing and acquisition for the first customers in Germany and Europe.

Foundation of IMPREG Holding APS


An investor group of six shareholders recognizes the importance of trenchless pipe rehabilitation with pipe liner technology as a growing future technology and founds IMPREG Holding ApS as a holding company. The production site is chosen in the core market of Germany

Introduction of the IMPREGLiner 2002 for UV curing

By recognizing the market trend towards UV curing at an early stage, we were able to generate further growth and new customers.

Expansion of production capacity in Ammerbuch, Germany

Production doubles in size to 6,000 m² with the addition of another hall.



Relocation of production to Deckenfronn, Germany

In Deckenfronn we have a 1,000 m² area at our disposal with the possibility of expanding our capacity.

Relocation to the current site in Ammerbuch, Germany

The continued growth made moving to Ammerbuch necessary. Here we had 3,500 m² of production space at our disposal.

Market launch of the first IMPREGLiner worldwide up to DN 1500

With the production of fiberglass hose liners > DN 1200, we create a unique selling point in an economically interesting segment.

Suzhou, China



Gärtringen, Germany



Opening of the production site in China

IMPREG (Suzhou) Co, Ltd. forms the new hub for the Asia-Pacific region. The opening of this production site underlines the IMPREG Group's growing global presence and represents an important milestone in the development of the Asian market.

Opening of the production site in Gärtringen, Germany

With additional production lines at the new site, we are able to meet the increased demand on the market and can now serve short-term customer inquiries even faster.

Change in management

Karsten Müller takes over from predecessor and IMPREG founder Robert Papp

2017

Opening of production site in Richmond, Virginia in the U.S.

A big step across the Atlantic to Richmond, Virginia in the USA. This further underlines our forward-looking orientation and positioning in the market.

2019

Milestone in sewer rehabilitation

The world's first successfully installed DN 2000 GRP pipe liner - a successful world premiere in Parma, Italy.

2020

2021

2022

April 1:


Guido Wey becomes the new Managing Director of IMPREG GmbH

May 21:

IMPREG celebrates its 25th anniversary

2024





UV-TECHNOLOGY - ECONOMICAL UND EFFICIENT


Trenchless is no longer a dream of the future. Trenchless is right now. The many advantages for people and nature are obvious, i.e. underground.

UV technology is economical, efficient, future-proof and environmentally friendly. Our aim is to lead the way with our innovative pipe liner and offer permanent solutions for trenchless sewer rehabilitation.

Benefits:

- > No excavation necessary, therefore minimal disruption to traffic and minimal noise pollution for residents
- > Curing of the IMPREGLiner using UV light
- > One of the fastest and most economical rehabilitation methods available on the market renovation process available on the market
- > Optimum CO₂ footprint, as the process is very energy-efficient
- > Our tailor-made contribution to environmental protection
- > Minimum service life of the IMPREGLiner of 50 years

APPROVED AND CERTIFIED



IT.ZERT®
ISO 9001
Quality
Management
System



IT.ZERT®
ISO 14001
Umwelt
Management
System

CSTB
le futur en construction





INNOVATIVE STRENGTH PAR EXCELLENCE: THE IMPREGLINER

We are the global market leader with our high-tech pipe liner. The IMPREGLiner was developed for all standard pipes from DN 150 to DN 2000 for sustainable and efficient trenchless sewer rehabilitation.

Our IMPREGLiner comes into its own in the area of large profile rehabilitation from DN 1200 to DN 2000. With very good material characteristics and a new glass fiber construction, more delicate gradations in wall thicknesses can be produced. This benefits our customers economically. As a result, the IMPREG Group has been able to consistently expand its position as technology leader in the DN 1200 and larger segment.

We also offer our customers special profile solutions and are at their side with our many years of expertise. We make the impossible possible.

We leave nothing to chance: IMPREGLiners are impregnated with innovative resins in our factory in accordance with the latest quality standards. In addition, we only use permanently corrosion resistant ECR glass. We also have a solution for particularly chemically contaminated wastewater in the industrial sector and for wastewater at high temperatures.

The liner arrives on construction sites around the world ready for installation, well packed in a specially manufactured and sturdy wooden transport box. We use boxes made of sturdy cardboard for our standard liners. All transport boxes are additionally equipped with a UV-proof film on the inside to provide additional protection against premature curing.



LEADING THE WAY - IN ACTION WORLDWIDE

With production and sales locations in Germany, the U.S., China, the UK and Australia, we are close to our customers worldwide.

We offer flexibility and short delivery times from order receipt to delivery, thanks to our strategically well-chosen production sites on three continents.

We work with our customers on projects and construction sites all over the world.





3 x DN 1800 - A milestone in the U.S.

Place California, USA
 Liner data DN 1800 | WD 13,7 mm | Total length 275,0 m | Total weight 45 t
 Special features High and low tide, sand and water, sandy subsoil



25,4 mm wall thickness - One of the thickest Liners

Place Offenbach an der Queich, Germany
 Liner data DN 1200 | WD 25,4 mm | Length 73,7 m | Weight 13,8 t
 Special features Low coverage of the rainwater channel, installation from the cooling truck




DN 2000 - Worldwide the first of this dimension

Place Parma, Italy
 Liner data DN 2000 | WD 11,0 mm | Length 164,0 m | Weight 22,0 t
 Special features The world's first GRP hose liner DN 2000



29 t - The heaviest IMPREG^Liner in history

Place Schouwen-Duiveland, Danmark
 Liner data DN 1270 | WD 12,8 mm | Length 292,0 m | Weight 29,0 t
 Special features sandy and slippery ground, narrow and difficult to access shafts



-17 °C - Freezing temperatures

Place Harbin, No. 2950 West Friendship Road Music Corridor CN
 Liner data DN 1400 | WD 8,3 mm | Length 40,0 m | Weight 3,2 t
 Special features Icy temperatures of up to -17 °C



THE BEST SUPPORT - SIDE BY SIDE

To achieve the best results, we are there for our customers right from the start. We see ourselves as a partner who provides you with comprehensive support and guidance. Our aim is to make your project a success together. Of course, we are always available to answer any questions and requests you may have regarding the right choice of system technology and equipment for an effective installation.

We deliver the highest quality and expertise for all sectors:

- > Industry
- > Cities and municipalities
- > Engineering offices
- > Installing companies / Sewer rehabilitator

From planning to implementation, we offer the best support with our teams of experts.

If special construction projects are pending, we also provide support directly on site with our application engineers. We are happy to provide new customer training and follow-up training on request and as required. Thanks to our global network, we stand for quality and delivery reliability, top customer service and focus.



APPLICATION TRAINING

Once a year, we offer our customers comprehensive training for their UV teams.

At our popular International User Meeting, which lasts three days, practical content is conveyed in a targeted manner, deepened, and trained in workshops.

An intensive event that is tailored to the wishes and topics of our customers.

Our goal: everyone benefits.



GOING AHEAD TOGETHER

As an international company, values in dealing with our employees, customers and partners are our greatest asset in achieving our corporate goals. Long-standing company affiliation of colleagues in all areas of the company not only ensures continuity and reliability towards customers, but it is also a measure of responsible management.

As a provider of integrated solutions, we cooperate closely with partner companies. Each of our partners is a specialist in their field, so that we can always offer an optimum portfolio for each individual area of application.





25 YEARS
1999 - 2024

ANY SIZE,
ANY SHAPE,
ANY PIPE.





PRODUCTION SITE EUROPE

IMPREG GmbH
Eisenbahnstraße 32
D-72119 Ammerbuch

IMPREG GmbH
Dieselstraße 8
D-71116 Gärtringen

Phone: +49 7073 30031-0
Email: sales@impreg.com

Contact person:
Katrin Letzgus-Danhach, Head of Sales
Christian Pfaff, Sales DACH

Sales location Germany

IMPREG GmbH
Karlsruher Str. 11
76437 Rastatt

Contact person:
Francis Clauss, Sales International
Alain Adloff, Sales International



PRODUCTION SITE AMERICAS

IMPREG LLC
8000 Whitepine Road
Richmond, VA 23237 (USA)

Office: +1-804-303-4507
Email: ame@impreg.com

Contact person:
Claudia Law, Director of Sales & Marketing
Steve Burke, East Coast Sales Manager
Jeff Coffman, West Coast Sales Manager
Miguel Freire, Business Development Manager IMPREG AMERICAS



Warehouse USA

IMPREG LLC
102 Copperwood Way, Suite H
Oceanside, CA 92058

Warehouse UK

IMPREG (UK) Limited
9 Doman Road, Camberley
Surrey, GU15 3DF

Contact person:
Jack Talbott, Technical Sales



PRODUCTION SITE APAC

IMPREG Suzhou Co., Ltd.
Building-No.1, No.198 Beijing Road (E)
Taicang Economic Development Zone
Suzhou, Jiangsu (CN)

Phone: +86 512 33060131
Email: sales-apac@impreg.com

Contact person:
Samuel Wu, General Manager
Kirk Du, Sales Director



Warehouse Australien

IMPREG Pty. Ltd.
8 Spring Street
Sydney 2000 NSW

Contact person:
Colin Murphy, Country Manager
AUS / NZL



„THANK YOU“

We would like to take this opportunity to thank our partners, customers, suppliers, and supporters for their many years of successful cooperation. We look forward to a continued future together.

WIR MACHEN ES [EINFACH]

[REIBUNGSLOSER TRANSPORT]

[FLEXIBLE STANDORTE]

[SCHNELLE ABWICKLUNG]

Wir gratulieren
der
iMPREG GmbH
zum 25-jährigem
Betriebsjubiläum
und freuen uns
auf die weitere
Zusammenarbeit!

Seit der Firmengründung 1979 entwickeln wir in eigener Verantwortung logistische Lösungen und verstehen uns als zuverlässiger und kompetenter Anbieter für nationale und internationale Logistik. Zielorientiert, termingenuau und äußerst effektiv. Wir bieten durchdachte Konzepte unter Einsatz von optimalen Verkehrsträgern und den entsprechenden neuesten Technologien.



 Bellinostraße 15 · D-72108 Rottenburg am Neckar

 Telefon: 07472 98566-0

 E-Mail: info@meier-logistik.de

 www.spedition-meier.de





**AMR-
HYDRAULIK**
DRESDEN GMBH

Drewitzer Straße 10
03042 Cottbus

Telefon +49 (0) 355 713124

E-Mail cottbus@amr-hydraulik.de

WWW.AMR-HYDRAULIK.DE



Starkes Portfolio
an Funktionsfolien
für technische
Anwendungen.

www.suedpack.com

SÜDPACK
HIGH PERFORMANCE FILMS

Weeber
WIR BEGEISTERN MENSCHEN.



WFS
FLEET-SERVICE

Professionelles Fuhrpark-Management

Beschaffung, Logistik, Wartung, Auflagen und Sicherheitsvorschriften aus einer Hand. Unser Weeber-Fleet-Service, WFS bietet professionelle Fuhrparkdienstleistungen seit 2006. Wir betreuen Fahrzeugflotten und Fuhrparks von Unternehmen oder öffentlichen Einrichtungen markenunabhängig.

Ihr Ansprechpartner Jonas Salhi, 07032 2790-61, jonas.salhi@autohaus-weeber.de



Wir sind
weltweit führender Hersteller
für Schlauchliner der grabenlosen
Kanal- und Rohrsanierung
(auch Trinkwasser)
und Pionier diese Technologie!

Die Lösung
für Schlauchliner
der CIPP
grabenlosen
Kanalsanierung

BUERGO.FOL
OUR QUALITY – YOUR SUCCESS

Schlauchinnenfolie alle Durchmesser bis DN 2000
(auch mit Vlies kaschiert)

Umfassend schützende Außenfolie

Mechanisch stabile und wasserdichte Preliner-Folien

Harzschutzfolien

Durchstoßfeste, robuste Gleitfolien (HDPE/PET)

Maßgeschneiderte Folien
passend für Ihre Technologie



FILM EXTRUSION · PRINTING · LAMINATING · FINISHING

**glaserei
stoll
fensterbau** ...für den richtigen Durchblick!



Fenster · Haustüren · Dachfenster · Rollläden · Markisen · Jalousien
Insektenschutz · Reparaturservice · Wir beraten Sie gerne!

www.stoll-fensterbau.de
Lange Gasse 53 · 72119 Ammerbuch · Tel. 0 70 73/91 81-0 · Fax 91 81-11

Nagolder Straße 5
72119 Ammerbuch
info@hofer-elektrotechnik.net
07073/80097-0




Hofer Elektrotechnik GmbH

Elektroinstallation · Gebäudesystemtechnik · Licht
Regenerative Technik · Kommunikation · E-Check

Zuverlässig in der Elektroinstallation
Präzise in der Gebäudesystemtechnik
Ideenreich in der Beleuchtungstechnik
Die Zukunft fährt emissionsfrei




DIPEX 

Dipex spol. s r. o. | Niklova ulica 2178/1 | 926 01 Sered 926 01

TECHNICAL FABRICS MADE OF GLASS AND CARBON FIBRES

For over 25 years, Dipex has offered wide range of solutions for the composite industry with woven, multiaxial and combination fabrics made of glass and carbon fibres.

Our products are designed to meet the high standards of our clients across many end use markets and applications.



www.dipex.sk

ARE YOU INTERESTED ?


Contact us

WELTWEIT GEMEINSAM ERFOLGREICH

KOMPLEXES BRAUCHT INNOVATION



OSCHATZ-GLAS
www.oschatz-glas.com



SYNTHOPOL
THE RESIN COMPANY



SYNTHOPOL ist einer der führenden europäischen
Produzenten von Kunstharzen für die Lack-, Farben-,
Kunststoff- und Klebstoffindustrie.

In folgenden Bereichen werden unsere Kunstharze eingesetzt:



**Automobilindustrie | Industrielle Holzbeschichtung |
Von Zügen bis Windkraftwerke | Rohr- und Kanalsanierung | Landwirtschaftl. Maschinen**



www.synthopol.com

1957 gegründet ist SYNTHOPOL heute ein weltweit tätiges Familienunternehmen mit Stammsitz in Buxtehude bei Hamburg
SYNTHOPOL CHEMIE Dr. rer. pol. Koch GmbH & Co. KG | Alter Postweg 35 | D-21614 Buxtehude | +49 (0) 4161 / 7071-0 | info@synthopol.com



JETZT DAS VIDEO ANSCHAUEN





EFFIZIENT, KOSTENGÜNSTIG, ZUVERLÄSSIG – IHRE KANÄLE, UNSERE VERANTWORTUNG.


100% MADE IN GERMANY, 100% PROKASRO.

ProKASRO ist Ihr Experte für die Sanierung von Kanalsystemen. Unsere maßgeschneiderten Lösungen, darunter Roboter, Seiteneinlaufsanierungssysteme und UV-Technologie, stellen sicher, dass städtische Infrastrukturen effektiv kontrolliert und instand gehalten werden. Wir bieten ganzheitliche Sanierungs-


lösungen, ohne aufwändige Neuverlegungen von Rohren. Unsere innovativen KASRO Robotersysteme und Seiteneinlaufsanierungssysteme sind vielseitig einsetzbar und ermöglichen Schadensdiagnosen sowie Reparaturen ohne Grabungen, Verkehrsbehinderungen und Lärm.




Arbeitsroboter




Seiteneinlaufsanierung




Hausanschlusssanierung




Fahrzeugausbau



TV-Inspektionssystem



UV-Technologie



Gebrauchtfahrzeuge

Im Schleiert 6, 76187 Karlsruhe
 T. +49 (0)721-95082-0
 M. info@prokasro.de

prokasro.de



DIE FIRMA BOGER

GRATULIERT HERZLICH

ZUM 25-JÄHRIGEN JUBILÄUM



WWW.BOGER-KANALSANIERUNG.DE



Smart Fibres Solutions GmbH

Am Bodeufer 5, 06502 Thale

Tel.: +49 3947 77 932 14

Fax: +49 3947 77 932 19

Mail: info@sfs-global.de

Web: www.sfs-global.de

www.kemp-functional-solutions.com



LET'S TURN CHALLENGES INTO SOLUTIONS

Echte Verbündete: unsere Mehrschichtverbundfolien

ROSSARO BAUGRUPPE – SEIT 1879
IHR UNTERNEHMEN MIT TRADITION

ROSSARO BAUGRUPPE

BAUUNTERNEHMUNG / KANALTECHNIK

Rossaro Kanaltechnik- Carl-Zeiss-Straße 79 - 73431 Aalen - +49 (0)7361-94 80-0 - kanaltechnik@rossaro.de - www.rossaro.de

QUICK LOCK

#Since1993
#TheOriginal
#QuickLockFamily



QUICK-LOCK
für nicht begehbare
Rohrleitungen
DN 150 - DN 800
(1-teilig)



QUICK-LOCK MINI
für Freispiegelleitungen,
Fallleitungen
DN 100, DN 125 und DN 150
QUICK-LOCK MINI LEM
DN 100, DN 125 und DN 150



QUICK-LOCK BIG
Teilbare Manschette für die
Sanierung in begehbaren
Rohrsystemen
DN 800 - DN 1300 (2-teilig)
DN 1400 - DN 2000 (3-teilig)
QUICK-LOCK BIG LEM
DN 700 - DN 2000 (mehnteilig)



QUICK-LOCK LEM
(Liner-End-Manschette)
dient der Anbindung von
Schlauchlinern an Rohren
und Bauwerken
DN 150 - DN 800 (1-teilig)



QUICK-LOCK FLEX
für Lageabweichungen
bis max. 2,5 cm
DN 200 - DN 800



QUICK-LOCK BRUNNEN
für Brunnen und
Versorgungsleitungen
DN 150 - 800



Anwendungsbereich

- horizontal und vertikal
- über und unter dem Wasserspiegel
- in der Kanalsanierung,
im Trinkwasserbereich und
für Industrieanwendungen

Funktionsprinzip / Systemvorteile

- Direkte Auflagekraft und Schutz
der Dichtung durch innenliegendes
Schloss
- dichtet und stabilisiert das
Schadensbild rein mechanisch ab
- keine umwelt- / gesundheits-
schädigenden Stoffe
- Manschette bleibt elastisch und
nimmt Bewegungen auf
- Serienversetzung bei längeren
Schadensbildern
- Nutzungsdauer von über 30 Jahren

UHRIG

UHRIG Kanaltechnik GmbH
Am Roten Kreuz 2
78187 Geisingen

Kontakt
Tel. +49 7704 / 806-32
info@uhrig-bau.de
www.quick-lock.de

Sonderlösungen für die Industrie

Heizungsbau | Sanitäre Anlagen | Blechtechnik | Solar



Muske HausTechnik

Stockbrunnenstr. 8
72119 Ammerbuch
Tel. 07073/917454
info@muske-haustechnik.de
www.muske-haustechnik.de

IHR PARTNER IN DER KANAL- UND ROHRSANIERUNG

Swietelsky-Faber GmbH



www.swietelsky-faber.de





IMPREG GmbH
Eisenbahnstraße 32
72119 Ammerbuch/Germany

Phone: +49 7073 30031-0
Email: sales@impreg.com



www.impreg.de

